

10kW¹ STANDBY GENERATOR



BRIGGS & STRATTON®

THE SMART CHOICE

For the discerning homeowner that is looking for the smartest, most reliable permanent backup power solution.

FORTRESS

Introducing our dealer exclusive line. Available at your local Briggs & Stratton Dealer with these great features:

- The industry's longest parts, labor and travel limited warranty
- Installed oil warmer for increased starting protection in colder weather



Designed for Easy Installation & Maintenance

- Easy to move into installation location with two-wheel dolly
- Approved for installation as close as 18" to a building²
- Removable roof and side panels provide better service access to the engine and alternator

Compact Size

- The smallest generator footprint in its class
- Perfect for small properties

Symphony® II Power Management System

- Customizable to your home's needs
- Automatically balances the power of your home's electrical load including high wattage items like air conditioning units and electric ovens
- Offers whole house power with a more affordable home generator

Commercial-Grade Briggs & Stratton Vanguard™ Engine

- Powerful V-Twin OHV engine
- Easy conversion between natural gas (NG) and liquid propane vapor (LP) during installation

Quality Clean Power

• Ensures your electronics are safely powered

Corrosion Resistant Enclosure & Base

- Made with automotive grade galvanneal steel to resist rust
- Powder-coated paint for years of protection against chips and abrasions



GENERATOR SET RATINGS LIQUID PROPANE **NATURAL GAS LIMITED WARRANTY⁴** MODEL **VOLTAGE** PHASE ΗZ BREAKER LP kW LP AMPS NG kW **NG AMPS** PARTS, LABOR, TRAVEL Fortress 10 41.7 120/240 60 50 375 6 Year 040545 Briggs & Stratton 120/240 1 RΩ 50 10 417 9 375 5 Year 040375

¹ This generator is rated in accordance with UL (Underwriters Laboratories) 2200 (stationary engine generator assemblies) and CSA (Canadian Standards Association) standard C22.2 No. 100-04 (motors and generators).

² The installation manual contains specific instructions related to generator placement in addition to NFPA 37, including the requirement that carbon monoxide detectors be installed and maintained in your home.

³ Warranty details available at www.briggsandstratton.com



10kW STANDBY GENERATOR

EN	GIIV	E S	PE	CIF	CA	TIO	NS
	-		_				

ENG				
Engine Model	Briggs & Stratton Vanguard™	Oil Capacity (
Engine Model Type Trim Number	359775-0003E1	Lubrication Syste		
ngine Speed (RPM)	3600	Recommended Oil		
jine Fuel	Liquid Propane (LP) or Natural Gas (NG)	Low Oil Pressure Senso		
Engine Cylinder Configuration	OHV	ALTERNATOR SPECS		
Number of Cylinders	2	Manufacturer		
Displacement (cc)	35 / 570	Туре		
Bore & Stroke (in)	2.83 / 2.76	Voltage Regulator		
Compression Ratio	8.3:1	Insulation		
Governor Type	Mechanical	CON		
Frequency Regulation	+/- 2.5 Hz	Hour Meter		
/alves	OHV with Hardened Seats	LED Digital Display		
Ignition System	Fixed Timing	Fault Code Display		
Starter Motor Rating Voltage	12 Volt	Weekly Exerciser		
Battery	12 Volt			

OPERATIONS

	FUE	SOUND RATING AT 7 METERS			
50% Load			100% Load		67 dBA
Liquid Propane	42.8 ft³ / hr	1.19 gal / hr	65.6 ft³ / hr	1.82 gal / hr	Lowest measurement of 12 microphones around generator.
Natural Gas	111 ft³ / hr	_	169 ft³ / hr	_	Sound level measurement at other locations around generator may be different depending upon installation configuration.

¹ Fuel consumption rates are estimated based on normal operating conditions. Generator operation may be greatly affected by elevation and the cycling operation of multiple electrical appliances – fuel flow rates may vary depending on these factors.




ADDITIONAL INFORMATION

OTHER	R FEATURES	CERTIFICATION			
Enclosure Material	Galvanneal Steel with Corrosion Resistant Paint	CARB Compliant	Y	es	
Overcrank Protection	Yes	NFPA Approved	Y	es	
Engine Warm Up (sec)	20 or 50 Automatic Transfer Switch Controlled	cUL Listed to CSA 22.2 NO 100)-04 Y	es	
Engine Cool Down (min)	1	NEMA Compliant	Y	Yes	
Response Time (sec)	26 or 56 Automatic Transfer Switch Controlled	EPA Certified Fuel System	Y	es	
Monitoring Options	Basic Wireless Monitor InfoHub™ Monitor	AVAILABLE ACCESSORIES			
Continuous Battery Charging	Yes	Maintenance Kit	60	035	
		Cold Weather Kit	Fortress	6404	
WEIGHT AND DIMENSIONS			Briggs & Stratton	6030A	
Assembled Weight (lbs)	272	Basic Wireless Monitor	6264		
Overall Dimensions (in)	28 x 24.4 x 35.1	InfoHub 6260		260	
Packaged Weight (lbs)	330	Remote Status Monitor 6144		44	
				-	

Packaged Dimensions (in)

39 x 35.5 x 42





FUEL PIPE SIZE RECOMMENDATION CHART (CAPACITY IN THOUSANDS OF BTU/HOUR)

	Natural Gas / Inlet Pressure less than 2 PSI / Pressure Drop 1/2" Water Column / Specific Gravity 0.60							
	1/2" pipe capacity	3/4" pipe capacity	1" pipe capacity	1-1/4" pipe capacity	1-1/2" pipe capacity	2" pipe capacity		
20' Length*	118	247	466	957	1,430	2,760		
40' Length*	81	170	320	657	985	1,900		
60' Length*	65	137	257	528	791	1,520		
80' Length*	56	117	220	452	677	1,300		
100' Length*	50	104	195	400	600	1,160		

	Liquid Propane / Inlet Pressure 11" Water Column / Pressure Drop 1/2" Water Column / Specific Gravity 1.50							
	1/2" pipe capacity	3/4" pipe capacity	1" pipe capacity	1-1/4" pipe capacity	1-1/2" pipe capacity	2" pipe capacity		
20' Length*	200	418	788	1,617	2,423	4,666		
40' Length*	137	287	541	1,111	1,665	3,207		
60' Length*	110	231	435	892	1,337	2,575		
80' Length*	101	212	400	821	1,230	2,370		
100' Length*	101	212	400	821	1,230	2,370		

^{*}Total length of piping from outlet of regulator to appliance furthest away.

ADDITIONAL INFORMATION

TRANSFER SWITCH SPECIFICATIONS						
Prewired 16 Circuit	100 AMP	Model #071076				
Standard 16 Circuit	100 AMP	Model # 071047				
Symphony® II	100 AMP	Model # 071071				
Symphony® II	150 AMP	Model # 071070				
Symphony® II	200 AMP	Model # 071068				
Voltage Rating	120/240					
	Select Circuit: 16					
Number of Protected Circuits	Symphony® II: Whole House					
UL Approved		Yes				
NEMA 3R Rated		Yes				

Disclaimer: Not for Prime Power or use where standby systems are legally required, for serious life safety or health hazards, or where lack of power hampers rescue of fire-fighting operations.

BRIGGS&STRATTON

POST OFFICE BOX 702 MILWAUKEE, WI 53201 USA

Copyright ©2016. All rights reserved. BS1007-B – 11/16

SUPPORT EVERY STEP OF THE WAY

NEED HELP? Just call 800-759-2744

Our technical support team is trained to answer questions on our generators, transfer switches and accessories.

CALL TODAY FOR A FREE IN-HOME ESTIMATE! 800-743-4115