

Pressure Washers



Cleaning power that inspires.

YOU.POWERED.



Innovation inspired by you.

POWERflow+ Technology™

- High Pressure
- High Flow
- Advanced Pump Technology
- 7-in-1 Nozzle

POWERflow+
TECHNOLOGY™

2X Stronger All-Steel Base

Protect your pump from impact and corrosion with a highly-durable base that's 2X³ stronger than tubular style frames.



¹ See operator's manual or www.briggsandstratton.com for complete warranty details. Briggs & Stratton standard warranty terms and conditions apply. Just Check & Add does not extend the warranty period.

² See www.briggsandstratton.com for complete details.

³ Compared to a tubular-style pressure washer frame in a displacement crush test.

⁴ All power levels are stated gross torque at 2600 RPM per SAE J1940 as rated by Briggs & Stratton.

Engines Matter

Powerful. Versatile. Durable.

Briggs & Stratton® engines deliver consistent performance and precise power to handle everyday cleaning – making it easier, quicker and more effective.

OHV Technology

- More power
- Smoother operation
- Longer engine life
- Improved fuel economy

EXi Series™

- Just Check & Add™ – No oil changes needed for life¹
- ReadyStart® starting system with Our Starting Promise™² for no prime, no choke, no worries – just pull for power
- Lightest in its class for easy maneuvering

7.25 ft-lbs
Gross Torque⁴ (163cc OHV)

8.75 ft-lbs
Gross Torque⁴ (190cc OHV)



Choosing the right pressure washer.

Choosing a product that is powerful and durable enough to fit your cleaning needs is key. There are two things to consider. The heavier the duty level, the longer the product will last. The higher the PSI¹ (pressure) and GPM¹ (flow) the more time you will save.

Light-Duty

Light weight electric pressure washers for occasional home use and smaller projects.



1700-2200 MAX PSI¹
1.2-3.5 MAX GPM¹

Medium-Duty

Versatile user-friendly gas pressure washers for moderate home usage.



2300-3000 MAX PSI¹
2.3-5.0 MAX GPM¹

Heavy-Duty













Durable heavy-duty components for frequent cleanup and larger projects.






3100-4000 MAX PSI¹
2.8-4.0 MAX GPM¹

What PSI level do you need?

Pick your usage below to determine which PSI level is needed.

	Light-Duty	Medium-Duty	Heavy-Duty
	Up to 70 ft ² (6.5 m ²)	Up to 120 ft ² (11.2 m ²)	Up to 150 ft ² (13.9 m ²)
PSI	1700-2200	2300-3000	3100-4000
Patio Furniture 	Best	Good	Not recommended
Vehicles 	Best	Good	Not recommended
Walkway/Stairs 	Best	Good	Not recommended
Docks/Piers 	Good	Best	Not recommended
Fences 	Good	Best	Not recommended
Garage Floors 	Good	Best	Not recommended
Decks/Patios 	Not recommended	Good	Best
Siding 	Not recommended	Good	Best
Driveway 	Not recommended	Good	Best
Second Story 	Not recommended	Not recommended	Best
Paint Prep 	Not recommended	Not recommended	Best
Oil Stains 	Not recommended	Not recommended	Best

 Best
Excelente
Meilleur
  Good
Bueno
Bon
  Not recommended
No se recomienda
Non recommandé

Visit www.BRIGGSandSTRATTON.com for our Pressure Washer Buying Guide!

¹ Pressure washers are rated in accordance to the Pressure Washer Manufacturer Association (PWMA) standard PW 101-2010. (Testing and Rating Performance of Pressure Washers).

Pressure Washer Specifications



Model Name	S1700	S1800	S2000	S2000P	S2200	S2200	S2800
Model #	020654	020680	020681	020667	020700	020545	020683
PSI ¹	1700 MAX at 1.0 GPM	1800 MAX at 1.1 GPM	2000 MAX at 1.2 GPM	2000 MAX at 1.1 GPM	2200 MAX at 1.0 GPM	2200 MAX at 1.9 GPM	2800 MAX at 1.8 GPM
GPM ¹	1.3 MAX at 1000 PSI	1.2 MAX at 900 PSI	1.2 MAX at 2000 PSI	3.5 MAX at 80 PSI	1.2 MAX at 900 PSI	1.9 MAX at 2200 PSI	2.1 MAX at 2000 PSI
Engine							
Engine	Universal Motor	Universal Motor	Induction Motor	Induction Motor	Induction Motor	Briggs & Stratton®	Briggs & Stratton®
Series						550e Series™ OHV	725 EXi Series™ OHV
Gross Torque ²						5.50 ft-lbs	7.25 ft-lbs
CC						140	163
Features							
Electric Start							
Quiet Sense™							
Pump Type	Axial Cam	Axial Cam	Axial Cam	Axial Cam	Axial Cam	Axial Cam	Axial Cam
Fold Down Handle Design			■	■			■
Onboard Detergent Storage Tank		■	■	■			
Detergent Injection System	■	■	■	■	■	■	■
Easy Start™ Pump Technology						■	■
Instant Start/Stop System	■	■	■	■	■		
Spray Tips/Nozzles	3 Quick-Connect	3 Quick-Connect	4 Quick-Connect	7-in-1 Nozzle	4 Quick-Connect	3 Quick-Connect	4 Quick-Connect
0°				■		■	■
15°		■	■	■	■		■
25°	■		■			■	
40°				■	■		■
Soap	■	■	■	■	Foamer Nozzle	■	■
Turbo Nozzle Wand	■	■	■		■		
Metal Wand		■	■	■	■	■	■
Hose Length	26'	20'	25'	25'	25'	25'	25'
GFCI Protected Cord	■	■	■	■	■		
Spray Gun	■	■	■	■	■	■	■
All-Steel Base							■
Wheels	6" Solid	7" Solid	7" Solid	7" Solid	9" Solid	10" Solid	10" Solid
High Temperature Thermal Relief						■	■
Engine Oil Included						15 oz.	15 oz.
Dimensions (L x W x H)	23.4" x 10.4" x 13.4"	15.5" x 18.75" x 34.5"	13" x 37.5" x 17"	13" x 37.5" x 17"	27" x 22.75" x 24"	24.5" x 22.25" x 23"	24" x 17" x 23"
Weight	16.5 lbs	35 lbs	45.5 lbs	47.5 lbs	49 lbs	56 lbs	59 lbs
Limited Warranty ³	1-Year Consumer	1-Year Consumer	1-Year Consumer	1-Year Consumer	1-Year Consumer	2-Year Consumer 3-Month Commercial	2-Year Consumer 3-Month Commercial 5-Year Frame

Included ■

Final product may vary from images shown.
Briggs & Stratton reserves the right to change specifications, features or pricing without notice.
¹ Rated in accordance with PWMA PW 101-2010.
² All power levels are stated gross torque at 2600 RPM per SAE J1940 as rated by Briggs & Stratton.
³ See operator's manual or www.briggsandstratton.com for complete warranty details.



S3100	S3100Q	S3100I	S3200	S3400	ELITE3300	ELITE4000
020685	020686	020661	020655	020505	020725	020507
3100 MAX at 2.1 GPM	3100 MAX at 2.1 GPM	3100 MAX at 2.1 GPM	3200 MAX at 2.4 GPM	3400 MAX at 2.5 GPM	3300 MAX at 2.4 GPM	4000 MAX at 4.0 GPM
2.5 MAX at 2400 PSI	2.5 MAX at 2400 PSI	2.5 MAX at 2400 PSI	2.7 MAX at 2600 PSI	2.8 MAX at 2900 PSI	2.5 MAX at 3100 PSI	4.0 GPM MAX at 4000 PSI
Briggs & Stratton®	Briggs & Stratton®	Briggs & Stratton®	Briggs & Stratton®	Briggs & Stratton®	Briggs & Stratton®	Briggs & Stratton®
875 EXi Series™ OHV	875 EXi Series™ OHV	875is Series™ with InStart® OHV	CR950 Series™ OHV	1150 Series™ OHV	CR950 Series™ OHV	2100 Series™ OHV
8.75 ft-lbs	8.75 ft-lbs	8.75 ft-lbs	9.50 ft-lbs	11.50 ft-lbs	9.50 ft-lbs	21.00 ft-lbs
190	190	190	208	250	208	420
Axial Cam	Axial Cam	Axial Cam	Axial Cam	Axial Cam	Triplex	Triplex
■	■	■				
■	■	■				
■	■	■	■	■	■	■
■	■	■	■	■	■	■
4 Quick-Connect	4 Quick-Connect	5-in-1 Nozzle	4 Quick-Connect	4 Quick-Connect	5 Quick-Connect	5 Quick-Connect
■	■	■	■	■	■	■
■	■	■	■	■	■	■
		■			■	■
■	■	■	■	■	■	■
■	■	■	■	■	■	■
■	■	■	■	■	■	■
30'	30'	30'	30'	30'	30'	50'
■	■	■	■	■	■	■
■	■	■				
10" Solid	10" Solid	10" Solid	10" Solid	10" Solid	10" Pneumatic	12" TurfPro
■	■	■	■	■	■	■
18 oz.	18 oz.	18 oz.	18 oz.	18 oz.	18 oz.	36 oz.
24" x 17" x 23"	24" x 17" x 23"	24" x 17" x 23"	25" x 21.5" x 24.3"	25" x 21.5" x 24.3"	26" x 21.5" x 23"	28.8" x 24" x 26"
59 lbs	59 lbs	66 lbs	73 lbs	73 lbs	100 lbs	148 lbs
2-Year Consumer 3-Month Commercial 5-Year Frame	2-Year Consumer 3-Month Commercial 5-Year Frame	2-Year Consumer 3-Month Commercial 5-Year Frame	2-Year Consumer 3-Month Commercial	2-Year Consumer 3-Month Commercial	2-Year Consumer 3-Month Commercial	2-Year Consumer 3-Month Commercial

Performance Accessories

Surface cleaners



- 6337** (14" with detergent tank)
- For use with 1600-2200 PSI
 - For electric pressure washers



- 6328B** (14" surface cleaner)
- For use with 2200-3400 PSI
 - For gas pressure washers



- 6338** (16" with detergent tank)
- For use with 2200-3400 PSI
 - For gas pressure washers



- 6482** (18" heavy-duty)
- For use with 2800-4200 PSI
 - For gas pressure washers

EASYFlex™ hoses



- 6363** (30' long x 1/4" diameter)
- Up to 3200 PSI
 - Flexible design for easy setup, storage and use



- 6364** (30' long x 3/8" diameter)
- Up to 3200 PSI
 - Flexible design for easy setup, storage and use



- 6483** (50' long x 3/8" diameter)
- Up to 4200 PSI
 - Flexible design for easy setup, storage and use

Nozzles



- 6195** (Quick-connect turbo nozzle)
- Up to 3000 PSI



- 6196** (Quick-connect turbo nozzle)
- Up to 4000 PSI
 - Propels a powerful pinpoint jet of water in a circular motion for intense cleaning.
 - Cleans up to 40% faster than standard spray nozzles



- 6177** (Second story nozzle kit)
- Up to 4.0 GPM
 - Clean hard-to-reach areas without a ladder



- 6197** (5-in-1 spray nozzle)
- Up to 3200 PSI
 - Five spray patterns in one convenient quick-connect nozzle

High-pressure hose quick-connect kit



- 6191**
- Up to 4000 PSI
 - Provides quick-connect fittings for easy pump to-hose or hose-to-gun connections

Pump Saver™



- 6039** (15 oz)
- 6151** (10.7 oz)
- Protects against freezing for safe, cold weather storage, provides longer pump life, maintains seals and pistons and prevents harmful buildup of hard water mineral deposits in pump

Pressure washer protection pack



- 6366**
- Pump Saver™ 6365 (2 oz)
 - Fuel stabilizer 100120 (0.5 oz)
 - O-ring replacement kit 196002

Spray wands



- 6202** (Adjustable)
- Up to 3200 max PSI
 - Simply twist for a full range of spray patterns from pinpoint to wide fan (0-40 degrees)



- 6206** (9' Extension Wand)
- Up to 3000 PSI
 - For gas pressure washers



Premium soft grip spray gun

- 6201**
- Up to 3800 PSI
 - Heavy-duty steel and brass components for durability



Water broom

- 6213**
- Up to 3700 PSI
 - Features three spray jets and wheel design that allows you to clean a 14" path more comfortably and efficiently



Garden hose quick-connect kit


- 6190**
- Provides quick-connect fittings for easy pump-to-hose and connections, includes heavy-duty brass fittings to resist wear and corrosion



Advanced fuel treatment

- 100119** (16 oz)
- 100118** (8 oz)
- 100117** (4 oz)
- 100120** (Single-use packet)
- Alcohol free
 - Triple antioxidants
 - Corrosion inhibitors
 - Detergent ingredients
 - Water inhibitor

Maintenance Accessories & Kits



O-ring replacement kit

- 6198**
- Replaces worn or damaged o-rings for pressure washer guns, hoses and wands
 - Includes garden hose filter



Pump oil

- 6033** (15 fl oz)
- Premium full synthetic oil for maximum pump life and performance
 - Number one choice for leading pump manufacturers

Replacement Accessories



Replacement hoses

6189 (5/16" diameter)

- Up to 4000 PSI
- 25' long



6188 (1/4" diameter)

- Up to 3200 PSI
- 30' long



Quick-connect spray tips

6193

- Up to 4000 PSI
- Four high-pressure predefined spray patterns (0, 15, 25 and 40 degrees) for precise cleaning and one low-pressure spray tip replacement



Replacement spray gun

6200

- Up to 3200 PSI
- Replaces old or damaged spray guns and includes a trigger safety lock



Quick-connect spray wands

6205 (20" Long)

- Up to 3200 PSI

6204 (30" Long)

- Up to 4000 PSI
- Quick-connect fitting for easy connection to spray tips and other accessories

Detergents & Cleaners



Vehicle cleaner concentrate

6830 (32 oz)

- Break down dirt, grime and grease from cars, trucks, boats, RVs and more



Spot free rinse aid concentrate

6834 (32 oz)

- For spot free house and vehicle windows



Multi-purpose cleaner concentrate

6832 (32 oz)

6826 (1 gal)

- Remove mold and mildew stains, dirt and grime from siding, patios and more



House & siding cleaner concentrate

6833 (32 oz)

- Remove mold and mildew stains, dirt and grime from siding



Concrete cleaner concentrate

6831 (32 oz)

6825 (1 gal)

- Remove gas, oil and grease stains



Wood surface cleaner concentrate

6065 (32 oz)

6827 (1 gal)

- Restore wood decks, fences, siding and more



Cleaning solution siphon hose & filter

6214

- Siphon detergent out of separate container
- Filter prevents clogging during cleaning solution application



Heavy-duty degreaser concentrate

6825 (1 gal)

- Remove gas, oil and grease stains from garage floors, driveways and more

You.Powered.™

At the end of the day, a job well done is its own reward. Our equipment is there to help make it happen. It's easy to master, durable and ready for a challenge. Just like you.



Get the support you need.

The Briggs & Stratton customer support portal is designed to help you answer questions you have about your Briggs & Stratton® product. Our Answer Center representatives are available Monday-Friday, 8AM-5PM CT.

Contact Us By Phone

Connect with someone about your specific product through our call center:

(800) 743-4115

Online Resources

www.BRIGGSandSTRATTON.com

- How-to articles
- Videos
- Frequently Asked Questions
- Maintenance Tips



BRIGGS & STRATTON CORPORATION
12301 West Wirth Street
Wauwatosa, WI 53222 USA
(414) 259-5333

Copyright ©2018. All rights reserved.



YOU.POWERED.