

2018 Pressure Washers



**Cleaning power
that inspires.**

YOU.POWERED.

Innovation inspired by you.

POWERflow+ Technology™

- High Pressure
- High Flow
- Advanced Pump Technology
- 7-in-1 Nozzle



2X Stronger All-Steel Base

Protect your pump from impact and corrosion with a highly-durable base that's 2X* stronger than tubular style frames.



* Compared to a tubular-style pressure washer frame in a displacement crush test.

** All power levels are stated gross torque at 2600 PRM per SAE J1940 as rated by Briggs & Stratton

1 See Operator's manual or www.briggsandstratton.com for complete warranty details. Briggs & Stratton standard warranty terms and conditions apply. Just Check & Add does not extend the warranty period

2 See www.briggsandstratton.com for complete details.

Engines Matter

Powerful. Versatile. Durable.

Briggs & Stratton® engines deliver consistent performance and precise power to handle everyday cleaning – making it easier, quicker and more effective.

OHV Technology

- More power
- Smoother operation
- Longer engine life
- Improved fuel economy

EXi Series

- Just Check & Add™ – No oil changes needed for life¹
- ReadyStart® starting system with Our Starting Promise² for no prime, no choke, no worries – just pull for power
- Lightest in its class for easy maneuvering

7.25 ft-lbs
Gross Torque** (163cc OHV)

8.75 ft-lbs
Gross Torque** (190cc OHV)



Choosing the right pressure washer.

Choosing a product that is powerful and durable enough to fit your cleaning needs is key. There are two things to consider. The heavier the duty level, the longer the product will last. The higher the PSI, the more time you will save.

LIGHT-DUTY

Home Electric Series

Light weight electric pressure washers for occasional home use and smaller projects.



1700-2300 MAX PSI*
1.3-4.0 MAX GPM*

MEDIUM-DUTY

Home Gas Series

Versatile user-friendly gas pressure washers for moderate home usage.



2400-3400 MAX PSI*
2.3-5.0 MAX GPM*

HEAVY-DUTY

Elite Series™

Durable heavy-duty components for frequent cleanup and larger projects.



3100-4000 MAX PSI*
2.8-4.0 MAX GPM*

What PSI level do you need?

Pick your usage below to determine which PSI level is needed.

PSI	Light duty	Medium duty	Heavy duty
	Up to 70 ft² (6.5 m²)	Up to 120 ft² (11.2 m²)	Up to 150 ft² (13.9 m²)
1700-2200	Best	Good	Not recommended
2300-3000	Good	Best	Not recommended
3100-4000	Not recommended	Good	Best

Task	1700-2200	2300-3000	3100-4000
Patio Furniture	Best	Good	Not recommended
Vehicles	Good	Best	Not recommended
Walkway/Stairs	Best	Good	Not recommended
Docks/Piers	Good	Best	Not recommended
Fences	Good	Best	Not recommended
Garage Floors	Good	Best	Not recommended
Decks/Patios	Not recommended	Good	Best
Siding	Not recommended	Good	Best
Driveway	Not recommended	Good	Best
Second Story	Not recommended	Good	Best
Paint Prep	Not recommended	Good	Best
Oil Stains	Not recommended	Good	Best

Best / Excelente / Meilleur
 Good / Bueno / Bon
 Not recommended / No se recomienda / Non recommandé

Visit www.BriggsandStratton.com for our Pressure Washer Buying Guide!

*Pressure washers are rated in accordance to the Pressure Washer Manufacturer Association (PWMA) standard PW 101-2010. (Testing and Rating Performance of Pressure Washers).

Performance Accessories

Surface cleaners



- 6337 (14" with detergent tank)
- For use with 1600-2200 PSI
 - For electric pressure washers



- 6328 (14" surface cleaner)
- For use with 2200-3400 PSI
 - For gas pressure washers



- 6338 (16" with detergent tank)
- For use with 2200-3400 PSI
 - For gas pressure washers



- 6482 (18" heavy-duty)
- For use with 2800-4200 PSI
 - For gas pressure washers

EASYFlex™ hoses



- 6363 (30' long x 1/4" diameter)
- Up to 3200 PSI
 - Flexible design for easy setup, storage and use



- 6364 (30' long x 3/8" diameter)
- Up to 3200 PSI
 - Flexible design for easy setup, storage and use



- 6483 (50' long x 3/8" diameter)
- Up to 4200 PSI
 - Flexible design for easy setup, storage and use

Maintenance Accessories & Kits

O-ring replacement kit



- 6198
- Replaces worn or damaged o-rings for pressure washer guns, hoses and wands
 - Includes garden hose filter

Pump oil



- 6033 (15 fl oz)
- Premium full synthetic oil for maximum pump life and performance
 - Number one choice for leading pump manufacturers



Nozzles

- 6195 (Quick-connect turbo nozzle)
- Up to 3000 PSI
- 6196 (Quick-connect turbo nozzle)
- Up to 4000 PSI
 - Propels a powerful pinpoint jet of water in a circular motion for intense cleaning.
 - Cleans up to 40% faster than standard spray nozzles



- 6177 (Second story nozzle kit)
- Up to 4.0 GPM
 - Clean hard-to-reach areas without a ladder



- 6197 (5-in-1 spray nozzle)
- Up to 3200 PSI
 - Five spray patterns in one convenient quick-connect nozzle



- 6191
- Up to 4000 PSI
 - Provides quick-connect fittings for easy pump to-hose or hose-to-gun connections



Pump Saver™

- 6039 (15 oz)
- 6151 (10.7 oz)
- Protects against freezing for safe, cold weather storage, provides longer pump life, maintains seals and pistons and prevents harmful buildup of hard water mineral deposits in pump



Pressure washer protection pack

- 6366
- Pump Saver™ 6365 (2 oz)
 - Fuel stabilizer 100120 (0.5 oz)
 - O-ring replacement kit 196002



Spray wands

- 6202 (Adjustable)
- Simply twist for a full range of spray patterns from pinpoint to wide fan (0-40 degrees)
- 6206 (9' Extension Wand)
- Up to 3000 PSI
 - For gas pressure washers



Premium soft grip spray gun

- 6201
- Up to 3800 PSI
 - Heavy-duty steel and brass components for durability



Water broom

- 6213
- Up to 3700 PSI
 - Features three spray jets and wheel design that allows you to clean a 14" path more comfortably and efficiently



Garden hose quick-connect kit

- 6190
- Provides quick-connect fittings for easy pump-to-hose and connections, includes heavy-duty brass fittings to resist wear and corrosion



Advanced fuel treatment

- 100119 (16 oz)
- 100118 (8 oz)
- 100117 (4 oz)
- 100120 (Single-use packet)
- Alcohol free
 - Triple antioxidants
 - Corrosion inhibitors
 - Detergent ingredients
 - Water inhibitor

Replacement Accessories

Replacement hoses



- 6189 (5/16" diameter)
- Up to 4000 PSI
 - 25' long



- 6188 (1/4" diameter)
- Up to 3200 PSI
 - 30' long



Quick-connect spray tips

- 6193
- Up to 4000 psi
 - Four high-pressure predefined spray patterns (0, 15, 25 and 40 degrees) for precise cleaning and one low-pressure spray tip replacement



Replacement spray gun

- 6200
- Up to 3200 psi
 - Replaces old or damaged spray guns and includes a trigger safety lock



Quick-connect spray wands

- 6205 (20" Long)
- Up to 3200 psi
- 6204 (30" Long)
- Up to 4000 PSI
 - Quick-connect fitting for easy connection to spray tips and other accessories

Detergents & Cleaners

Vehicle cleaner concentrate



- 6830 (32 oz)
- Break down dirt, grime and grease from cars, trucks, boats, RVs and more



Concrete cleaner concentrate

- 6831 (32 oz)
- 6825 (1 gal)
- Remove gas, oil and grease stains



Spot free rinse aid concentrate

- 6834 (32 oz)
- For spot free house and vehicle windows



Wood surface cleaner concentrate

- 6065 (32 oz)
- 6827 (1 gal)
- Restore wood decks, fences, siding and more



Multi-purpose cleaner concentrate

- 6832 (32 oz)
- 6826 (1 gal)
- Remove mold and mildew stains, dirt and grime from siding, patios and more



Cleaning solution siphon hose & filter

- 6214
- Siphon detergent out of separate container
 - Filter prevents clogging during cleaning solution application



House & siding cleaner concentrate

- 6833 (32 oz)
- Remove mold and mildew stains, dirt and grime from siding



Heavy-duty degreaser concentrate

- 6825 (1 gal)
- Remove gas, oil and grease stains from garage floors, driveways and more

Pressure Washer Specifications



Series	Home Series Electric								Home Series Gas				Elite Series™				
Model #	020654	020680	020681	020667	020700	020545	020683	020685		020686	020661	020569	020570	020655	020505	020541	020507
PSI*	1700 MAX at 1.0 GPM	1800 MAX at 1.1 GPM	2000 MAX at 1.2 GPM	2000 MAX at 1.1 GPM	2200 MAX at 1.0 GPM	2200 MAX at 1.9 GPM	2800 MAX at 1.8 GPM	3100 MAX at 2.1 GPM		3100 MAX at 2.1 GPM	3100 MAX at 2.1 GPM	3000 MAX at 2.3 GPM	3000 MAX at 2.3 GPM	3200 MAX at 2.4 GPM	3400 MAX at 2.5 GPM	3100 MAX at 2.4 GPM	4000 MAX at 4.0 GPM
GPM†	1.3 MAX at 1000 PSI	1.2 MAX at 900 PSI	1.2 MAX at 2000 PSI	3.5 MAX at 80 PSI	1.2 MAX at 900 PSI	1.9 MAX at 2200 PSI	2.1 MAX at 2000 PSI	2.5 MAX at 2400 PSI		2.5 MAX at 2400 PSI	2.5 MAX at 2400 PSI	5.0 MAX at 400 PSI	5.0 MAX at 400 PSI	2.7 MAX at 2600 PSI	2.8 MAX at 2900 PSI	2.8 MAX at 2600 PSI	4.0 GPM MAX at 4000 PSI
Engine																	
Engine	Universal Motor	Universal Motor	Induction Motor	Induction Motor	Induction Motor	Briggs & Stratton®	Briggs & Stratton®	Briggs & Stratton®		Briggs & Stratton®	Briggs & Stratton®	Briggs & Stratton®	Briggs & Stratton®	Briggs & Stratton®	Briggs & Stratton®	Briggs & Stratton®	Briggs & Stratton®
Series						550e Series™ OHV	725 EXi Series™	875 EXi Series™		875 EXi Series™	875is Series with InStart®	875 Professional Series™ OHV	875 Professional Series™ OHV	CR950 Series™ OHV	1150 Series™ OHV	900 Series™ OHV	2100 Series™ OHV
Gross Torque‡						5.50 ft-lb	7.25 ft-lbs	8.75 ft-lbs		8.75 ft-lbs	8.75 ft-lbs	8.75 ft-lbs	8.75 ft-lbs	9.5 ft-lbs	11.50 ft-lbs	9.00 ft-lbs	21.00 ft-lbs
CC						140	163	190		190	190	190	190	208	250	205	420
Features																	
Electric Start																	
Quiet Sense™										■							
Pump Type	Axial Cam	Axial Cam	Axial Cam	Axial Cam	Axial Cam	Axial Cam	Axial Cam	Axial Cam		Axial Cam	Axial Cam	Axial Cam	Axial Cam	Axial Cam	Axial Cam	Axial Cam	Triplex
Fold Down Handle Design			■	■			■	■		■	■	■	■			■	
Onboard Detergent Storage Tank		■	■	■				■		■	■	■	■			■	
Detergent Injection System	■	■	■	■	■	■	■	■		■	■	■	■	■	■	■	■
Easy Start™ Pump Technology						■	■	■		■	■	■	■	■	■	■	■
Instant Start/Stop System	■	■	■	■	■												
Spray Tips/Nozzles	3 Quick-Connect	3 Quick-Connect	4 Quick-Connect	7-in-1 Nozzle	4 Quick-Connect	3 Quick-Connect	4 Quick-Connect	4 Quick-Connect		4 Quick-Connect	5-in-1 Nozzle	7-in-1 Nozzle	7-in-1 Nozzle	4 Quick-Connect	4 Quick-Connect	4 Quick-Connect	5 Quick-Connect
0°				■		■	■	■		■	■	■	■	■	■	■	■
15°		■	■	■	■		■	■		■	■	■	■	■	■	■	■
25°	■		■			■					■						■
40°				■	■		■	■		■	■	■	■	■	■	■	■
Soap	■	■	■	■	■	■	■	■		■	■	■	■	■	■	■	■
Turbo Nozzle Wand	■	■	■	■	■					■	■	■	■	■	■	■	■
Metal Wand		■	■	■	■	■	■	■		■	■	■	■	■	■	■	■
Hose Length	26'	20'	25'	25'	25'	25'	25'	30'		30'	30'	30'	30'	30'	30'	40'	50'
GFCI Protected Cord	■	■	■	■	■												
Spray Gun	■	■	■	■	■	■	■	■		■	■	■	■	■	■	■	■
All-Steel Base								■		■	■						
Wheels	6" Solid	7" Solid	7" Solid	7" Solid	9" Solid	10" Solid	10" Solid	10" Solid		10" Solid	10" Solid	11" Solid	11" Solid	10" Solid	10" Solid	10" TurfPro	12" TurfPro
High Temperature Thermal Relief						■	■	■		■	■	■	■	■	■	■	■
Engine Oil Included						15 oz.	15 oz.	18 oz.		18 oz.	18 oz.	18 oz.	18 oz.	20 oz.	20 oz.	20 oz.	37 oz.
Dimensions (L x W x H)	23.4" x 10.4" x 13.4"	15.5" x 18.75" x 34.5"	13" x 37.5" x 17"	13" x 37.5" x 17"	27" x 22.75" x 24"	24.5" x 22.25" x 23"	24" x 17" x 23"	24" x 17" x 23"		24" x 17" x 23"	24" x 17" x 23"	25" x 21.75" x 25"	25" x 21.75" x 25"	25" x 21.5" x 24.3"	25" x 21.5" x 24.3"	29.1" x 21.6" x 23"	28.8" x 24" x 26"
Weight	16.5 lbs	35 lbs	45.5 lbs	47.5 lbs	80 lbs	56 lbs	59 lbs	59 lbs		59 lbs	66 lbs	70 lbs	75 lbs	73 lbs	73 lbs	116 lbs	148 lbs
Warranty¹	12-Month Consumer	12-Month Consumer	12-Month Consumer	12-Month Consumer	12-Month Consumer	24-Month Consumer 3-Month Commercial	24-Month Consumer 3-Month Commercial 60-Month Frame	24-Month Consumer 3-Month Commercial 60-Month Frame		24-Month Consumer 3-Month Commercial 60-Month Frame	24-Month Consumer 3-Month Commercial 60-Month Frame	24-Month Consumer 3-Month Commercial	24-Month Consumer 3-Month Commercial	24-Month Consumer 3-Month Commercial	24-Month Consumer 3-Month Commercial	24-Month Consumer 3-Month Commercial	24-Month Consumer 3-Month Commercial

Included ■ Final product may vary from images shown.
 Briggs & Stratton reserves the right to change specifications, features or pricing without notice.
 *Rated in accordance with PWMA PW 101-2010.
 †See operator's manual or www.briggsandstratton.com for complete warranty details.

You.Powered.™

At the end of the day, a job well done is its own reward. Our equipment is there to help make it happen. It's easy to master, durable and ready for a challenge. Just like you.



Get the support you need.

The Briggs & Stratton customer support portal is designed to help you answer questions you have about your Briggs & Stratton branded product. Our Answer Center representatives are available Monday-Friday, 8AM-5PM CT.

Contact Us By Phone

Connect with someone about your specific product through our call center:

- Pressure Washers: **(800) 743-4115**

Online Resources

- How-to articles
- Videos
- Frequently Asked Questions
- Maintenance Tips



Delete mp # for short run?

MC11116-10/16

BRIGGS & STRATTON CORPORATION
12301 West Wirth Street
Wauwatosa, WI 53222 USA
(414) 259-5333

Copyright ©2017. All rights reserved.



YOU.POWERED.